


Flat Panel HD Series


Flat Panel HD Series



DESCRIPTION:

Sleek, high-density acoustic panels are designed for superior sound absorption with a minimalistic aesthetic. Engineered for durability and precision, Flat Panel HD offers a clean, flat surface that seamlessly integrates into any space, enhancing acoustics without compromising style. Ideal for modern interiors, these panels provide an understated solution that elevates both form and function.

FEATURES:

 Unique	 Aesthetic prowess	 Acoustic performance	 Customizable design	 Fire-resistant and low maintenance	 Contribution to circular economy
--	---	--	---	---	--

AVAILABLE COLOR PALETTE:

	Black			Blue Indigo	Pomegranate	
	Blueberry			Azure	Plum	Cosmic Sky
	Graphite		Deep Forest	Prussian Blue	Mulberry	Arctic Ice
Blueprint	Storm	Straw	Cactus	Riviera	Marmalade	Blue Fog
Ultraviolet	Alloy	Dune	Jalapeno	Stargaze	Old Gold	White
Coral Haze	Neutral Gray	Taupe	Classic Green	Niagara	Arabian Spice	Pearl
Apricot	Concrete Gray	Clay	Olive	Aqua Haze	Burgundy	Mushroom
Meadow	Mirage	Latte	Gleam	Smoke Blue	Fig	Glacier
Smoky Green	Dark Gray	Sand	Elm Green	Emerald	Mulled Grape	Birch
AURORA	CHROME	TIMELESS	TERRA	WAVE	LAVA	FROST

- Drawing dimensions are representative and may vary by ± 1 mm.
- Bespoke color and design combinations are available upon request, subject to minimum order quantity (MOQ).



TECHNICAL INFORMATION:

Main Info

Standard Dimensions (L x H)	1200 mm x 2800 mm (± 0.5 mm)
-----------------------------	-----------------------------------

Performance

Functionality	Absorption
Absorption Frequency Range	Medium and High Frequencies
NRC	0.3 with direct fix 0.85 with 25mm gap with infill 0.95 with 50mm gap with infill

Packaging Information

Units/Box	8
-----------	---

Installation

Fixation	Silicon Sealant
Place	Wall
Material	Pet Wool

Fire Compliance

ASTM-E84 Class A BS 476 Part 6 & 7 Class 1 EN-13501 Part 1 C, s2, d0
--

Disclaimers:

Bespoke color and design combinations are available upon request, subject to minimum order quantity (MOQ).

Please note that the dimensions of these panels have a tolerance of ± 2 mm.

Do not apply these panels behind radiators or too close to a heat source.

A slight color variation may occur between different batches.

The product images used are illustrative and may differ from the actual product.

Panel 01



Panel 02



Panel 03

